

Coho Impacts and Expected Limitations

Stock	Forecast 2021 Impact	Post-season 2021 Impact	2022 Impact Rate based on 2021 Seasons and Quotas	2022 Limitation on Impacts
Coho: Lower Columbia Natural (LCN)	10.1% (2.5% in NOF seasons and 3.5% in SOF seasons)	10.4%	11.7% (ocean only)	23% Overall (Ocean up to 15.3%; inside at 7.7%)
Coho: Oregon Coastal Natural (OCN)	12.8% (0.5% in NOF seasons, 6.6% in SOF OR Rec seasons, 0.6% in SOF OR Troll seasons, and 3.5% in OR FW seasons)	11.3%	13.9% (total)	15% Overall (North and South Central Sub-aggregates at 30% overall impacts)
Coho: Southern Oregon Northern California Coastal (SONCC)	2.5% (Ocean only: 0.9% in SOF OR Rec seasons, and 0.9% in CA Rec seasons)	2.1%	3.3% (ocean only)	15% Overall Impact (ocean and inside fisheries combined)

Chinook Impacts and Expected Limitations

Stock	Forecast 2021 Impact	2022 Limitation on Impacts
Chinook: Tule fall Chinook (lower Columbia)	38% (0.3% SOF Rec and 0.8% SOF Troll)	38%
Chinook: Klamath fall Chinook	25% Spawner Reduction Rate 10.5% Age 4 Fishery Impacts	Anticipate: Deminimis Control Rule Natural Area Spawners
Chinook: Sacramento fall Chinook	50.6%	Escapement goal range of 122-180K